

1 Identification of substance:

- . **Product details:**
- . **Trade name:** **Schnellklebstoff X 60 Komponente B**
- . **Application of the substance / the preparation** Monomer mixture for preparation of adhesives
- . **Manufacturer/Supplier:** Hottinger Baldwin Messtechnik GmbH
Im Tiefen See 45
D-64293 Darmstadt

Tel.: +49 (0)6151 803-0
- . **Information department:** AGU: +49(0)6151/ 803 434 or +49(0)170/7743003 Eberhard Parthey
e-mail: eberhard_parthey@web.de
- . **Emergency information:** Advice centre for poisoning university Mainz phone +49(0)6131/19240
or poison information:+49(0)700/GIFTINFO

2 Composition/Data on components:

- . **Chemical characterization**
- . **Description:** Monomer mixture based on methyl acryloester
- . **Dangerous components:**

80-62-6 methyl methacrylate	Xi, F; R 11-37/38-43	50-100%
868-77-9 2-hydroxyethyl methacrylate	Xi; R 36/38-43	25-50%
99-97-8 N,N-dimethyl-p-toluidine	T; R 23/24/25-33-52/53	< 2.5%

3 Hazards identification

- . **Hazard description:** Xn Harmful
F Highly flammable
- . **Information pertaining to particular dangers for man and environment**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 11 Highly flammable.
R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
R 33 Danger of cumulative effects.
R 36/37/38 Irritating to eyes, respiratory system and skin.
R 43 May cause sensitization by skin contact.
- . **Classification system** The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.
- . **NFPA ratings (scale 0-4)** Health = 2
Fire = 4
Reactivity = 0

4 First aid measures

- . **General information** Medical treatment is necessary if symptoms occur which are obviously caused by skin or eye contact with the product or by inhalation of its vapours. Remove soiled, soaked clothing immediately.
After inhalation
- . **After inhalation** Move subject to fresh air and keep him calm. See a physician.
Take affected persons into fresh air and keep quiet.
Seek medical treatment.
- . **After skin contact** Wash with polyethylene glycol and ethanol (2:1). Then wash thoroughly with water and soap.
Seek medical treatment.
- . **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

